



FERGUSON
Bath, Kitchen & Lighting Gallery

Showroom Selections

POTTER BROTHERS
APPLIANCES 510 WESTBORO

build.com/ferguson

KITCHEN

Samsung NX60A6311SS 3

GE UVC7300SLSS 3

Samsung RS23A500ASR 3

Samsung DW80CG4021SR 3

Summit MDR245SS 4

Thor Kitchen HRH3007 4

Product Documentation Cover Sheet 5

Spec Sheets 6

LAUNDRY

Samsung WF45T6000AW-DVE45T6000W 18

Product Documentation Cover Sheet 19

Spec Sheets 20




Samsung NX60A6311SS

30 Inch Wide 6 Cu. Ft. Free Standing Gas Range with 18K BTU Dual Ring Power Burner and Self Clean

Qty: 1

Finish: Stainless Steel



GE UVC7300SLSS

300 CFM 21 Inch Wide Built-In Range Hood with Dimmable LED Lights

Qty: 1

Finish: Stainless Steel



Samsung RS23A500ASR

36 Inch Wide 22.6 Cu. Ft. ADA Compliant Full Size Refrigerator

Qty: 1

Finish: Fingerprint Resistant Stainless Steel



Samsung DW80CG4021SR

24 Inch Wide 14 Place Setting Energy Star Certified Built-In Top Control Dishwasher with Express60 Wash

Qty: 1

Finish: Fingerprint Resistant Stainless Steel



Summit MDR245SS

24 Inch Wide 1.2 Cu. Ft. 1000 Watt Drawer Microwave

Qty: 1

Finish: Stainless Steel



Thor Kitchen HRH3007

600 CFM 30 Inch Wide Wall Mounted Range Hood with Dual LED Lighting

Qty: 1

Finish: Stainless Steel

Comments: Donna added for them to look at

KITCHEN

	Spec Sheets	Installation Guide	Warranty Info	Owners Manual	Additional Documents
Samsung NX60A6311SS	✓	—	—	—	—
GE UVC7300SLSS	✓	—	—	—	—
Samsung RS23A500ASR	✓	—	—	—	—
Samsung DW80CG4021SR	✓	—	—	—	—
Summit MDR245SS	✓	—	—	—	—
Thor Kitchen HRH3007	✓	—	—	—	—

NX60A6311SS

SAMSUNG

Samsung Smart Freestanding Gas Range with 18K BTU Dual Ring Power Burner and Self Clean

6.0 cu. ft. Capacity



Signature Features

Large Oven Capacity

- This large 6.0 cu. ft. oven can fit multiple dishes at one time.

18K BTU Dual Ring Burner

- Boil fast with a dual ring burner that has unbelievable power.

Flexible Cooktop

- This 5-burner cooktop includes 2 power burners and cast iron edge-to-edge grates so you can slide pots and pans across more usable cooktop space. Use the simmer burner to cook your favorite sauces.


Available Colors



Stainless Steel (shown)



Fingerprint Resistant
Black Stainless Steel



Large Oven Capacity



18K BTU Dual Ring Burner

Features

- Large Oven Capacity – 6.0 cu. ft.
- Integrated, Cast-Iron Griddle
- Extra Oven Settings - Bread Proof, Favorite Cook, Keep Warm
- Edge-to-Edge Grates
- Storage Drawer
- Flexible Cooktop:
 - Five Burner Cooktop
 - Right Front: 18K BTU Dual Ring
 - Left Front: 12K BTU
 - Right Rear: 5K BTU
 - Left Rear: 9.5K BTU
 - Center (Oval): 10K BTU

Convenience

- Wi-Fi Connectivity
- Voice-Enabled
- SmartThings Cooking
- Self Clean
- Sabbath Mode
- Child Safety Lock
- Delay Start
- Auto Oven Light
- Kitchen Timer




NX60A6311SS

SAMSUNG

Samsung Smart Freestanding Gas Range with 18K BTU Dual Ring Power Burner and Self Clean


6.0 cu. ft. Capacity

Installing Your Range



A: Cabinet opening min 30"
B: Acceptable electrical outlet area


IMPORTANT: If your cabinets are over 36³/₄" high, you must install this range on a hard, heat-resistant support that raises the surface of the range so that it is about even with the countertop.



* Side clearance above cooking surface to any objects, i.e., wall.

IMPORTANT: Consult with Installation Manual for detailed instructions before installing.
All ranges must be installed with the Anti-Tip device that is included.

Recommended Locations for Gas Piping and Electrical Outlets



Power Source

120V/60 Hz/20A

Total Power (BTU)

54,500 BTU

5-Burner Cooktop

- Right Front: 18K BTU, Dual Ring
- Left Front: 12K BTU
- Right Rear: 5K BTU
- Left Rear: 9.5K BTU
- Center (Oval): 10K BTU

Oven

- Capacity: 6.0 cu. ft.
- Bake
- Variable Broil: Low/High
- Bread Proof

Warranty

One (1) Year Parts and Labor

Product Dimensions & Weight (WxHxD)

Oven Interior Dimensions:

24¹³/₁₆" x 21⁵/₈" x 19⁵/₈"

Outside Net Dimensions:

29¹⁵/₁₆" x 46⁵/₁₆"-47¹/₁₆" (Adjustable) x 28¹¹/₁₆"

Weight: 178 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions:

33¹/₁₆" x 50⁹/₁₆" x 30⁵/₁₆"

Weight: 201 lbs

Color

Stainless Steel

Model

NX60A6311SS

UPC Code

887276509556

Fingerprint Resistant

Black Stainless Steel

NX60A6311SG

887276509549



Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

©2021 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG. samsung.com. Samsung is a registered trademark of Samsung Electronics Co. Ltd.

UVC7300SLSS

Universal Custom Hood Insert

DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

Installation Information: Before installing, consult installation instructions, packed with product, for current dimensional data.

Optional accessories:

UXCF91 – Charcoal Filter




UXHL30 – 30" Hood Liner

UXHL36 – 36" Hood Liner

UXN70 – Recirculation Kit

AMP RATING	
120V	2.5

CABINET PREPARATION Liner (Optional) UXHL30 or UXHL36



For answers to your Monogram, GE Café™ Series, GE Profile™ Series or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.

Specification Revised 10/18

UVC7300SLSS

Universal Custom Hood Insert

FEATURES AND BENEFITS

390-CFM blower – Powerful blower removes smoke, grease, odor and moisture

Dual LED dimmable lighting – bulbs included - Enjoy the right amount of bright LED lighting on the cooktop and surrounding areas

Push-button controls – Are easy to see and easy to use


Convertible venting options – Select recirculating or external venting

Remote control included – Activate and adjust your hood functions from anywhere in the kitchen

Dishwasher safe filter – Filters grease and is dishwasher-safe

Four-speed fan control – Helps draw smoke, grease, odors and moisture out of the kitchen air

Model UVC7300SLSS – Stainless steel



RS23A500ASR

SAMSUNG

22.6 cu. ft. Smart Counter Depth
Side-by-Side Refrigerator



Signature Features

Counter Depth

A modern, built-in look featuring a minimalist exterior with signature flat door design and recessed handles that seamlessly blend into your kitchen.

Fingerprint Resistant Finish

A finish that withstands everyday smudges, so you spend less time cleaning.

All-Around Cooling

Multi-vent technology keeps items on every shelf evenly cooled.

Available Colors



Fingerprint Resistant
Stainless Steel (shown)



Fingerprint Resistant
Black Stainless Steel



Counter Depth



Fingerprint Resistant Finish

Design

- Counter Depth
- Fingerprint Resistant Finish
- Bright LED Lighting
- Adjustable Top Freezer Shelf
- 3 Gallon Door Bins
- 2 Clear Drawers in fridge;
1 in freezer

Technology

- Wi-Fi Enabled
- Door Alarm
- Water Filter Indicator
- Sabbath Mode

Performance

- All-Around Cooling
- Automatic In-Door Ice Maker -
Stores up to 4.0 lbs of ice

Rating



ENERGY STAR® Rated:
625 kWh/yr



ADA Compliant

RS23A500ASR

SAMSUNG


22.6 cu. ft. Smart Counter Depth Side-by-Side Refrigerator

Installation Specifications


1. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
2. Refer to illustration below to determine dimensions.
3. Allow 2.5" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and ability to open refrigerator doors completely, do not install next to a wall.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product or download manual online at samsung.com.



Dimensions



Total Capacity: 22.6 cu. ft.

Refrigerator: 14.6 cu. ft.

- 4 Tempered Glass Shelves
- 2 Drawers
- 5 Door Bins
 - 3 Gallon Bins
 - 2 Door Bins
- Top LED Lighting

Freezer: 8.0 cu. ft.

- Automatic In-Door Ice Maker
- 5 Tempered Glass Shelves
- 1 Drawer
- 4 Door Bins
- Top LED Lighting

Accessories

Water Filter: HAF-QIN

Warranty

One (1) Year Parts and Labor on Refrigerator
Five (5) Years Parts and Labor on Sealed Refrigeration System Only*
Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor

*Compressor, evaporator, condenser, drier and connecting tubing.

Product Dimensions & Weight

Dimensions (WxHxD with hinges, recessed handles, and doors): 35 7/8" x 70 1/16" x 28 5/8"

Dimensions (WxHxD without hinges and door): 35 7/8" x 68 5/8" x 24"

Weight: 229 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: 37 3/4" x 75 3/8" x 30 1/8"

Weight: 238 lbs

Color	Model #	UPC Code
Fingerprint Resistant Stainless Steel	RS23A500ASR	887276467801
Fingerprint Resistant Black Stainless Steel	RS23A500ASG	887276467795

DW80CG4021

SAMSUNG

Fingerprint Resistant 53 dBA Dishwasher with Adjustable Rack



Available Color



Fingerprint Resistant
Stainless Steel
DW80CG4021SR

Features

- Hidden Touch Controls
- Stainless Interior Door
- 53 dBA Noise Level
- Height-Adjustable Upper Rack
- Fingerprint Resistant Stainless Finish
- 3 Spray Wash Arms (Upper, Middle, Lower)

Convenience

- Control Lock
- Delay Start
- Digital Leak Sensor
- Silverware Basket
- 14 Place Settings

Additional Specifications

4 Wash Cycles: Auto, Normal, Heavy, Express 60

4 Options: Delay Start, Heated Dry, Sanitize (NSF Certified), Hi-Temp Wash

Rating




ENERGY STAR®
Rated:

239 kWh/yr

Fingerprint Resistant 53 dBA Dishwasher
with Adjustable Rack

Installation Specifications



Dimensions

- Product Dimensions & Weight (WxHxD)**
Dimensions: 23³/₄" x 33³/₄" x 24⁵/₈"
Weight: 64 lbs
- Shipping Dimensions & Weight (WxHxD)**
Dimensions: 26" x 35" x 29¹/₈"
Weight: 78 lbs


Warranty

- One (1) Year Parts and Labor
- Five (5) Years Limited on Printed Circuit Board

UPC

Color	Model #	UPC Code
Fingerprint Resistant Stainless Steel	DW80CG4021SRAA	887276772882

Dimensions





MDR245SS



14.88" x 23.5" x 23.25" (H x W x D)

Built-in drawer microwave oven for 24" wide openings with stainless steel trimmed front and black window

Highlights:

24" wide drawer microwave oven for in-wall or island installation

One-touch access to open and close the drawer

Attractive modern style in brushed stainless steel


Product Features:

24" wide drawer microwave	Built-in microwave designed for installation in wall or island openings
Easy access with touch open/close	Simply hold down the "open" and "close" buttons to access the microwave with minimal effort
Top-load design	Slide-out drawer lets you check your cooking without removing it from the microwave, helping to reduce spills
Large capacity	1.2 cu.ft. interior offers plenty of space for large dishes
Stainless steel finish	Exterior features a brushed stainless steel trim to elevate your kitchen design
Blade style handle	Brushed stainless steel in a modern shape that suits any kitchen style
Easy-to-read controls	Control panel is set at a slight angle, making it easier to read all of the functions in any position
One-touch cooking	Includes buttons for popcorn, beverages, melting, and softening
Melt and soften options	"Melt" setting lets you choose from commonly melted items (butter, chocolate, cheese, or marshmallows) and "soften" lets you choose from butter, ice cream, or cream cheese



MDR245SS Specifications:

Overview	
Height of Cabinet	14.88" (38 cm)
Width	23.5" (60 cm)
Depth	23.25" (59 cm)
Depth with Handle	25.13" (64 cm)
Depth with door at 90°	38.38" (97 cm)
Capacity	1.2 cu.ft. (34 L)
Door	Black/SS
Cabinet	Gray
US Electrical Safety	UL
Canadian Electrical Safety	ULC
Amps	12.0
Voltage/Frequency	115 V AC/60 Hz
Weight	33.0 lbs. (15 kg)
Shipping Weight	41.0 lbs. (19 kg)
Parts & Labor Warranty	90 Days
UPC	761101086750
Microwave	
Type	Drawer
Wattage	1000.0
Controls	Digital
Digital Display	Yes
Specialized Cooking Buttons	Yes
Cutout Height	14.81" (38 cm)
Cutout Width	22.13" (56 cm)
Cutout Depth	23.5" (60 cm)
Interior Height	7.13" (18 cm)
Interior Width	16.13" (41 cm)
Interior Depth	16.75" (43 cm)



Product Description: 30in Wall Mount Chimney Range Hood in Stainless Steel with LED Lights, Touch Control with Display and Remote Control
Model# HRH3007



Range Hood Size	30in	Appliance Type	Wall Mount、 Touch control with display
Product Width(in)	30in	CFM	600
Product Depth(in)	19in	Voltage	120V
Product Height(in)	45.3in	Wattage	337W
Duct Length(in)	59 in	Color/Finish	Stainless steel
Duct Width(in)	Diameter:6in	Certifications	ETL
Duct Shape	Round	UPC #	6926697001233
Amperage	/	Filter type	430SS Baffle filter
Gross Weight(lb)	38.4	Blower type	/
Net Weight(lb)	28.3	Control type	Remote control
Fan Speeds	3 speed	Ceiling Height (Min.)	8 feet
Noise level (Max.)	60 dB	Installation type	Wall mount
Lighting	Dual 3.5W GU10 LED light	Power	/

Wall Mount Range Hood

Page 2 of 2

Duct size	Diameter: 6in	Loading Information (20' / 40' / 40HQ)	40'HQ: 310 pcs
Duct Discharge	/	Features	Wall mount design Touch control with display 3 speed 600CFM Clean canopy design Durable brushed stainless steel Easy lamp replacement without tools Extension chimney included Dual 3.5W GU10 LED light Large, full 430SS baffle filter Remote control Clock shown, delay off, filter clean reminder Vertical vent diameter 6" round
Hood Cover size	/	MAP(\$)	499
Ceiling Height (Max)	9 feet		
Frequency	60HZ		



Samsung WF45T6000AW-DVE45T6000W

27 Inch Wide 4.5 Cu. Ft. Front Loading Washer and 27 Inch Wide
7.5 Cu. Ft. Front Loading Electric Dryer Laundry Pair with Sensor

Qty: 1

Finish: White

LAUNDRY

	Spec Sheets	Installation Guide	Warranty Info	Owners Manual	Additional Documents
Samsung WF45T6000AW-DVE45T6000W	✓	—	—	—	—

WF45T6000AW

SAMSUNG

Samsung 4.5 cu. ft. Front Load Washer with Vibration Reduction Technology+



Signature Features

4.5 cu. ft. Capacity

- Fewer loads, less time in the laundry room, and more time doing the things you love.

Vibration Reduction Technology+

- Reduces noise and vibration for extra quiet washing.

Self Clean+

- Eliminates 99% of bacteria¹ in the drum.

Available Color



White



Vibration Reduction Technology+



Self Clean+

Features

- 4.5 cu. ft. Capacity
- Vibration Reduction Technology+
- Self Clean+¹
- Smart Care²
- Swirl+ Drum Interior
- Closet-Depth Fit³
- Stackable
- UL Certified
- 1200 RPM Maximum Spin Speed
- Direct Drive Motor

- 10 Preset Washing Cycles
- 6 Additional Washing Options
- 5 Temperature Levels
- LED Display: Ice Blue
- 24-Hour Delay End

Convenience

- Child Lock
- Delay End
- Dispenser Trays: Main Wash, Softener, Bleach

Rating



ENERGY STAR®-rated
CEE Tier 2
IMEF = 2.95
IWF = 2.9
90 kWh/yr



ADA Compliant⁴

¹Based on testing by Intertek of the Self Clean+ cycle on the WF6000R.

²Requires Samsung Smart Washer/Dryer App. The Samsung Smart Washer/Dryer App supports Android OS 2.3.6 or later and iOS 3 or later for iPhone models. Smart Washer/Dryer app available in App Store and Play Store.

³Designed to fit a 40" installation depth.

⁴ADA Compliant when using a Samsung 27" wide riser (WE272NW, WE272NV, WE272NC).

WF45T6000AW

SAMSUNG

Samsung 4.5 cu. ft. Front Load Washer with Vibration Reduction Technology+


Installation Specifications

If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72-inch² (see stacked build below). Your washer alone does not require a specific air opening.


*Required spacing (External exhaust elbow may require additional space.)

1. Alcove or closet installation

Minimum Clearance for Closet and Alcove Installations:




2. With stacked washer and dryer



Dimensions

Required Dimensions for Installation with Pedestal:



10 Preset Washing Cycles:

Normal, Heavy Duty, Bedding, Quick Wash, Permanent Press, Delicates, Whites, Activewear, Rinse and Spin, Self Clean+

6 Additional Washing Options:

Presoak, Delay End, Smart Care, Sound, Child Lock, Spin Only

5 Temperature Levels:

Hot, Warmer, Warm, Cool, Cold

5 Spin Speeds:

High, Medium High, Medium, Low, No Spin

5 Soil Levels:

Heavy, Medium Heavy, Normal, Medium Low, Light

Dispenser Trays:

Main Wash, Softener, Bleach

Warranty

One (1) Year Parts and Labor
Three (3) Years Stainless Steel Drum (Part Only)
Ten (10) Years Direct Drive Motor (Part Only)

Product Dimensions & Weight (WxHxD)

Dimensions: 27" x 38 3/4" x 31 3/8"

Weight: 200 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: 29 3/8" x 42 3/8" x 34 1/8"

Weight: 205 lbs

Color	Model #	UPC Code
White	WF45T6000AW	887276394794

Matching Dryer (Electric/Gas)

White	DVE45T6000W	887276412634
White	DVG45T6000W	887276412641

Matching Long Vent Dryer (Electric/Gas)

White	DVE45T6020W	887276438153
White	DVG45T6020W	887276438160

Pedestal

White	WE402NW	887276310152
-------	---------	--------------

Riser

White	WE272NW	887276197647
-------	---------	--------------

Accessories

Stacking Kit	SKK-8K	887276344034
--------------	--------	--------------

DVE45T6000W

SAMSUNG

Samsung 7.5 cu. ft. Front Load Electric Dryer with Sensor Dry



Signature Features

Sensor Dry

- Helps prevent over drying for optimal fabric care.

7.5 cu. ft. Large Capacity

- Fewer loads, less time in the laundry room, and more time doing the things you love.

10 Preset Drying Cycles

- More cycles to cover almost every drying need for your active family.


Available Color



White



Sensor Dry



Smart Care

Features

- Sensor Dry
- 7.5 cu. ft. Large Capacity
- Smart Care¹
- Interior Drum Light
- Reversible Door
- 10 Preset Drying Cycles
- 9 Additional Drying Options
- 5 Temperature Levels
- 4-Way Venting
- LED Display: Ice Blue

Convenience

- Child Lock
- Lint Filter Indicator



ADA Compliant²

Rating

644 kWh/yr

¹Requires Samsung Smart Washer/Dryer App. The Samsung Smart Washer/Dryer app supports Android OS 2.3.6 or later and iOS 3 or later for iPhone models. Smart Washer/Dryer app available in App Store and Play Store.

²ADA Compliant when using a Samsung 27" wide riser (WE272NW, WE272NV, WE272NC).

DVE45T6000W

SAMSUNG

Samsung 7.5 cu. ft. Front Load Electric Dryer with Sensor Dry


Installation Specifications

If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72-inch² (see stacked build below). Your washer alone does not require a specific air opening.


*Required spacing (External exhaust elbow may require additional space.)

1. Alcove or closet installation

Minimum Clearance for Closet and Alcove Installations:




2. With stacked washer and dryer



Dimensions

Required Dimensions for Installation with Pedestal:



4-Way Venting

10 Preset Drying Cycles:

Normal, Heavy Duty, Permanent Press, Activewear, Bedding, Delicates, Sanitize, Time Dry, Air Fluff, Quick Dry

9 Additional Drying Options:

Mixed Load Bell, Wrinkle Prevent, Adjust Time (Up), Adjust Time (Down), Eco Dry, Child Lock, Smart Care, Sound, Drum Light

5 Temperature Levels:

High, Medium High, Medium, Medium Low, Low

5 Dry Levels:

Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry

Warranty

One (1) Year Parts and Labor

Product Dimensions & Weight (WxHxD)

Dimensions: 27" x 38³/₄" x 31¹/₂"

Weight: 123 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: 29³/₈" x 42⁹/₁₆" x 33¹/₂"

Weight: 130 lbs

Electric	Model #	UPC Code
White	DVE45T6000W	887276412634

Gas		
White	DVG45T6000W	887276412641

Long Vent Dryer (Electric/Gas)

White	DVE45T6020W	887276438153
White	DVG45T6020W	887276438160

Matching Washer

White	WF45T6000AW	887276394794
-------	-------------	--------------

Pedestal

White	WE402NW	887276310152
-------	---------	--------------

Riser

White	WE272NW	887276197647
-------	---------	--------------

Accessories

Stacking Kit	SKK-8K	887276344034
Vent Kit	DV-2A	887276146416