



BRAD BARS

756 LYNWOOD - APPLIAN...

Nov 15th, 2024

Build.com

APPLIANCES



LG LSEL6331F

30 Inch Wide 6.3 Cu. Ft. Slide In Electric Range with EasyClean

Qty: 1

Finish: Stainless Steel



LG MVEL2033F

30 Inch Wide 2 Cu. Ft. 1050 Watt Fingerprint Resistant Over the Range

Qty: 1

Finish: PrintProof Stainless Steel



LG LDFN3432T

24 Inch Wide 15 Place Setting Energy Star Rated Built-In Dishwasher with QuadWash

Qty: 1

Finish: Stainless Steel



LG LRFLC2706S

36 Inch Wide 26.5 Cu. Ft. Energy Star Certified French Door Counter Depth

Qty: 1

Finish: Stainless Steel



LG WM3470CW

27 Inch Wide 5 Cu. Ft. Energy Star Certified Front Loading Washing Machine

Qty: 1

Finish: White



LG DLE3470W

27 Inch Wide 7.4 Cu. Ft. Energy Star Certified Electric Dryer with FlowSense

Qty: 1

Finish: White



LG KSTK4

27" Laundry Front Load Stacking Kit

Qty: 1

Finish: Chrome



APPLIANCES

	Spec Sheets	Installation Guide	Warranty Info	Owners Manual	Additional Documents
LG LSEL6331F	✓	–	–	–	–
LG MVEL2033F	✓	–	–	–	–
LG LDFN3432T	✓	–	–	–	–
LG LRFLC2706S	✓	–	–	–	–
LG WM3470CW	✓	–	–	–	–
LG DLE3470W	✓	–	–	–	–
LG KSTK4	–	–	–	–	–

LG COOKING

LSEL6331F

6.3 cu ft. Smart Wi-Fi Enabled Electric Slide-in Range with EasyClean®

- 6.3 cu ft. Large Capacity
- EasyClean® + Self Clean
- ThinQ® App with ThinQ Care

AVAILABLE COLORS



ThinQ Care

Proactive Smart Alerts to Keep Your Appliances Running Smoothly

- Preventative Alerts help you stay a step ahead of potential issues to find proactive solutions before problems arise.
- Avoid preventable repairs and service calls with real-time diagnostics for a hassle-free experience.
- Integrated within LG's ThinQ app—a smart home hub for managing your smart devices and appliances.



SUMMARY		OVEN		POWER/RATINGS	
Cooktop Type	Radiant, Ceramic Glass	Oven Type	Single Oven	Amp Rating at 208V	47.1A
Number of Cooktop Burners	5	Oven Cooking System	Traditional	Amp Rating at 240V	54.5A
Oven Type	Single Oven	Oven Cleaning Type	EasyClean® + Self Clean	KW Rating at 208V	9.9kW
Oven Cooking System	Traditional	Self-Clean Oven Door Lock	Automatic	KW Rating at 240V	13.2kW
Oven Capacity (cu. ft.)	6.3	Oven Capacity (cu. ft.)	6.3	Required Power Supply Amp	40A
Oven Cleaning Type	EasyClean® + Self Clean	Broiler Element Power	4200W	DIMENSIONS & WEIGHT	
Drawer Type	Storage	Bake Element Power	3400W	Cabinet Width (in.)	30
Size in Width (in.)	30	Hidden Bake Element	Yes	Overall Depth (in.) - including handle	29 7/32" (742mm)
APPEARANCE		Number of Rack Positions	7	Overall Height (in.)	37 1/4" (946mm)
Color	PrintProof™ Stainless Steel	Number of Oven Racks	2	Overall Width (in.)	29 7/8" (759mm)
Control Type	SmoothTouch™ Glass	Oven Rack Type	2 Standard	Product Weight (lb)	161
Knobs	Stainless Steel Appearance, Weighted	Drawer Type	Storage	Shipping Weight (lb)	183
Oven Door Feature	WideView™ Window	Oven Modes	Bake, Broil, EasyClean®, Self Clean, Warm, Keep Warm, Proof	Shipping Dimensions (W x H x D) (in.)	32 1/2" x 44" x 30 1/2"
Cooktop Finish	Porcelain Enamel	Oven Light Type	Halogen	UPC CODES	
COOKTOP		CONTROL FEATURES		LSEL6331F (PrintProof™ Stainless Steel)	048231342025
Cooktop Type	Radiant, Ceramic Glass	Kitchen Timer	Yes		
Number of Cooktop Burners	5	Timed Cook	Yes		
Element/Burner - Left Front	9" / 6" Dual, 3200W UltraHeat™	Oven Control Lock	Yes (Cooktop, Key)		
Element/Burner - Left Rear	6" Single, 1200W	Sabbath Mode	Yes		
Element/Burner - Right Front	9" / 6" Dual, 3200W UltraHeat™	SMART FEATURES			
Element/Burner - Right Rear	6" Single, 1200W	Wi-Fi Connect	Yes		
Element/Burner - Center	7" Single, 100W Warming Zone	ThinQ Care	Yes		
Hot Surface Indicator Light	Yes	Smart Diagnosis™	Yes		
		Works with	LG ThinQ® Amazon Alexa Google Assistant SIDECHEF Innit (*)		

*These partners may not yet be available at the time of purchase of this product, please continue to check for app updates

LG COOKING

MVEL2033_

2.0 cu. ft. Wi-Fi Enabled Over-the-Range Microwave
Oven with EasyClean®

- 2.0 cu. ft. Oven Capacity
- ThinQ® App with Scan-to-Cook & Auto Sync to Smart LG Ranges
- Sensor Cook
- EasyClean® Interior
- SmoothTouch™ Glass Controls
- 4-Speed Ventilation
- 400 CFM Exhaust

AVAILABLE COLORS

-  PRINTPROOF™ STAINLESS STEEL
-  PRINTPROOF™ BLACK STAINLESS STEEL



LG ThinQ

Enjoy new ways to control your home with LG smart appliances

- Install Setup Quick Check
- Preventative Alerts & Guidance
- Performance & Usage Reports



CAPACITY	
Oven Capacity (cu.ft.)	2.0
FEATURES	
Microwave Power Output (Watts)	1,050
Exterior Design	WideView™ Window
Control Type	SmoothTouch™ Glass Controls
Control Location	Bottom
Display	White LED Scrolling, 2lines
COOKING FEATURES	
Sensor Cook	Yes
Power Levels	10
Defrost	Auto / Time / Quick Defrost
Sensor Reheat	Yes
Auto Cook Options	6 (Defrost, Soften, Melt, Simmer, Steam Cook, Kids Meal)
Custom Settings	Yes
Add 30 Seconds	Yes
CONVENIENCE FEATURES	
Wi-Fi Connect (works with ThinQ®)	Yes
EasyClean® Interior	Yes
Turntable Diameter (inches)	14.2"
Clock	Yes
Kitchen Timer	Yes
Completion Beeper	Yes
Turntable On/Off	Yes
Add 30 Second	Yes
LIGHTING	
Exterior Lighting	Halogen
Interior Lighting	LED Lighting
SAFETY FEATURES	
Child Lock	Yes

VENTING SYSTEM	
Filtration	Charcoal Filter
Exhaust Grease Filter	2
Power Levels	4
Vent Grille Type	Hidden
Vent Air Flow (CFM)	400
MATERIALS/FINISHES	
All Available Colors	PrintProof™ Stainless Steel PrintProof™ Black Stainless Steel
PrintProof™ Finish	Yes
Interior Color	Gray
DIMENSIONS & WEIGHT	
Cavity (WxHxD)	21 15/16" x 11 4/16" x 14 9/16"
Exterior (WxHxD)	29 7/8" x 16 7/16" x 15 7/8"
Product Weight (lbs)	61.5
Shipping Weight (lbs)	76.1
Shipping Dimensions (WxHxD)	33 9/16" x 21" x 20 8/16"
POWER/RATINGS	
Volts	120 / 60
Amps / Watts	15A / 1750W
LIMITED WARRANTY	
Parts and Labor	1 Year
Magnetron	10 Years
UPC CODES	
MVEL2033F (PrintProof™ Stainless Steel)	048231342087
MVEL2033D (PrintProof™ Black Stainless Steel)	048231342094

LG DISHWASHERS

LDFN3432T

Front Control Dishwasher

- 15 Place Settings
- Dynamic Dry™
- NeveRust™ Stainless Steel Tub
- LoDecibel™ Operation (50 dB)
- NSF Certified



CAPACITY	
Total Place Settings	15
Upper Rack Dish Height Limit	9.0"
Lower Rack Dish Height Limit	12.5"
RACKS AND BASKETS	
Cutlery Baskets	Yes
Fold Down Tines	Yes (Half Fold on Upper & Half Fold on Lower)
BPA-Free Nylon Coated Racks and Tines	Yes
Height Adjustable Upper Rack	Yes (Manual)
STYLE AND DESIGN	
Control Panel Location	Front Control
Electronic Controls	Fully Integrated Control Panel
Tub Material	NeveRust™ Stainless Steel
Handle	Pocket Handle
All Available Colors	Stainless Steel
FEATURES	
Inverter Direct Drive Motor	Yes
LoDecibel™ Quiet Operation	50dBA
Number of Wash Cycles	5 (Auto, Heavy, Normal, Turbo, Machine Clean)
Number of Options	6 (Flex Zone, High Temp, Extra Dry, Delay Start, Control Lock, Night Dry)
Number of Spray Arms	3 (Top, Upper, Lower)
SenseClean™ Wash System	Yes
Vario Wash	Yes
Detergent and Rinse-Aid Dispenser	Yes
Drying System	Dynamic Dry
End of Cycle Indicator	Yes (Beeper + END indication on display)
Hidden Water Heater	Yes
Safety Float Switch (Leaks)	Yes
Soil (Turbidity) Sensor	Yes
Tub Insulation (Damping Sheet, Sound Absorbing Material (felt), Base)	Yes
BPA-Free Nylon Coated Racks and Tines	Yes
Anti-Bacterial Treatment (Sump, Inner / Outer filter, Drain pump case, Drain hose)	Yes
Balanced Door	Yes
3-Stage Filtration System	Yes

CERTIFICATIONS	
NSF® Certified	Yes
POWER RATINGS	
ENERGY STAR® Qualified	Yes
CEE Tier	1
Energy Use (kWh/Year)	258 kWh/Year
Water Factor (WF)	2.9
DIMENSIONS / CLEARANCES / WEIGHT	
Product Dimensions (in) (W x H x D)	23 3/4" x 33 5/8" x 24 5/8"
Product Weight (lbs)	75 lbs
Depth with Door Closed with Handle (in)	24 5/8"
Depth with Door Open (in)	49 1/4"
Carton Dimensions (in) (W x H x D)	28" x 34 7/8" x 29 5/8"
Shipping Weight with Carton (lbs)	88.2 lbs
LIMITED WARRANTY	
Labor	1 Year
Parts	1 Year
Control Board and Rack Parts	5 Years
Direct Drive Motor	10 Years
Stainless Steel Door Liner or Tub	Lifetime
UPC CODES	
LDFN3432T (Stainless Steel)	048231341950

LG REFRIGERATION

LRFLC2706S

3-Door French Door Refrigerator

- Largest Counter Depth Capacity
- Modern Sleek Design
- Internal Water Dispenser
- Single Ice Maker
- Cool Guard
- Door Cooling+
- LG ThinQ
- ENERGY STAR® Qualified
- Sabbath Mode

AVAILABLE COLORS



ThinQ Care

Proactive Smart Alerts to Keep Your Appliances Running Smoothly

- Preventative Alerts help you stay a step ahead of potential issues to find proactive solutions before problems arise.
- Avoid preventable repairs and service calls with real-time diagnostics for a hassle-free experience.
- Integrated within LG's ThinQ app—a smart home hub for managing your smart devices and appliances.

CAPACITY		CONVENIENCE		MATERIALS AND FINISHES	
Refrigerator (cu. ft.)	17.8 cu. ft.	Display Type	Smooth Touch Control / White LED	Flat Type Door	Yes
Freezer (cu. ft.)	8.7 cu. ft.	Temperature Controls	Electronic/Digital	Hidden Hinges	Yes
Total Capacity (cu. ft.)	26.5 cu. ft.	Door Alarm	Yes	Surface	Smooth
ENERGY		Child Lock	Yes	Handles	Matching Commercial Handles
ENERGY STAR® Qualified	ENERGY STAR®	Decibel™ Quiet Operation	Yes	All Available Colors	Stainless Steel
Energy Consumption (kWh/Year)	632	Smart Diagnosis™	Yes	Insulation	Low GWP and Zero ODP Blowing Agent
WATER & ICE SYSTEM		Auto Closing Door Hinge	Yes (Only left door)	DIMENSIONS/CLEARANCES/WEIGHTS	
Dispenser Type	Internal with Dispenser	Wi-Fi Enabled	Yes	Depth with Handles	31 5/8"
Daily Ice Production	2.5 lbs (F/Cubed)	ThinQ®	Yes	Depth without Handles	29 1/4"
Ice Storage Capacity	4.0 lbs	PCC (Proactive Customer Care)	Yes	Depth without Door	24 7/8"
Cube & Crushed Ice	Cubed only	Special Features	Door Cooling+	Depth (Total with Door Open 90°)	43 1/2"
IcePlus™	Yes	Sabbath	Yes	Height to Top of Hinge	70 1/4"
Water Filter	LT1000P	REFRIGERATOR		Height to Top of Case	68 7/8"
COOLING		No. of Shelves	4 Split (4 Fixed)	Width	35 3/4"
Temperature Sensors	9	Cantilevered Shelves	Hybrid Cantilevered	Installation Clearance	Sides 1/8", Top 1", Back 2"
Compressor Type	Smart Inverter Compressor	Shelf Construction	Spill Protector™ Tempered Glass	Weight (Unit/Carton)	322 lbs / 352 lbs
Refrigerant	Low GWP, Zero ODP and More Energy Efficient Refrigerant (R600a / 57g / 2.01oz)	Crisper Bins	2 Crispers	Carton Dimensions (WxHxD)	38" x 73" x 32"
Fresh Air Filter	Yes	Glide N' Serve™ Drawer	Yes	LIMITED WARRANTY	
Evaporator	1	Cool Guard	Yes	Parts & Labor	1 Year
		Handle Type	Bar	Sealed System (Parts & Labor)	5 Years
		Refrigerator Light	Yes	Compressor (Parts & Labor)	5 Years
		REFRIGERATOR DOOR		Linear Compressor (Parts & Labor)	6 - 10 Years
		No. of Bins	8 Total (2 Adjustable Gallon Sized)	UPC CODES	
		Door Bin Construction	1 Piece (Clear)	LRFLC2706S (Stainless Steel)	195174039274
		FREEZER			
		Door Type	Pull Drawer		
		Drawers / Shelves	2-Tier Organization		
		Durabase™ Solid Drawer Base	Yes		
		Drawer Divider	Yes		
		Freezer Light	LED Lighting		
		Freezer Handle	SmartPull™ Handle		
		Ice Bin / In Door Ice	Yes		

WM3470C_

5.0 cu. ft. Front Load Washer

- 5.0 cu. ft. Mega Capacity
- 6 Motion® Technology
- Cold Wash Technology
- Direct Drive Motor 10-Year Limited Warranty
- ENERGY STAR® Certified
- Closet Depth
- NeveRust® Stainless Steel Tub
- True Balance® Anti-Vibration System & LoDecibel® Quiet Operation
- Tub Clean® System
- Smart Diagnosis
- SpeedWash® Cycle



AVAILABLE COLORS

- MIDDLE BLACK
- WHITE



SUMMARY		WASH DETAILS		POWER SOURCE	
Type	Front Load Washer	No. of Wash/Rinse Temps	5	Ratings	UL Listed
Capacity (cu. ft.)	5.0 cu. ft.	Wash/Rinse Temps	Extra Hot, Hot, Warm, Cold, Tap Cold	Electrical Requirements	120V, 10 Amps
Matching Electric Dryer	DLE3470M / DLE3470W	No. of Spin Speeds	5	Type	Electric
Matching Gas Dryer	DLG3471M / DLG3471W	Spin Speeds	Extra High, High, Medium, Low, No Spin	OPTIONS/ACCESSORIES	
Color	Middle Black (M), White (W)	Water Levels	Load Sensing	Pedestal	WDP6M / WDP6W
APPEARANCE		No. of Soil Levels	3	Pedestal (WxHxD)	27" x 13 5/8" x 28" (43 7/8" D with door open)
Hard Buttons	Yes	FABRIC CARE FEATURES		LG Sidekick® Pedestal Washer	WD300CW (White only)
Touch Buttons	Yes	Cold Wash Option	Yes	LG Sidekick® Pedestal Washer (WxHxD)	27" x 14 1/8" x 30 3/4" (50 1/2 with drawer open)
Dial-A-Cycle®	Yes	CONVENIENCE FEATURES		Stacking Kit	KSTK4
ENERGY		TrueBalance® Anti-Vibration System	Yes	DIMENSIONS	
ENERGY STAR® Most Efficient	Yes	4-Tray Dispenser	Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener	Product (WxHxD)	27" x 39" x 33 1/8"
ENERGY STAR® Certified	Yes	End of Cycle Signal	Yes	Depth with Door Open	57 3/4" D with door open
CEE Tier	2	LoadSense	Yes	Carton (WxHxD)	29 1/2" x 42 1/8" x 34 1/4"
IMEF	2.92	Control Lock	Yes	Weight (Product/Carton)	191.8 / 207.5 lbs.
IWF	2.9	Auto Suds Removal	Yes	LIMITED WARRANTY	
WASH PROGRAMS		Leveling Legs	4 Adjustable Legs	Parts and Labor	1 Year
No. of Programs	8	ThinQ® TECHNOLOGY		Drum	3 Years
Wash Programs	Normal, Perm. Press, Heavy Duty, Delicates, Towels, Speed Wash, Bedding, Tub Clean	Smart Diagnosis	Yes	Direct Drive Motor	10 Years
WASH OPTIONS		MOTOR AND AGITATOR		UPC CODES	
No. of Options	8	Motor Type	Inverter Direct Drive Motor	WM3470CM (Middle Black)	195174048740
Options	Pre-wash, Delay Wash, Cold Wash, Extra Rinse, Rinse+Spin, Control Lock, Spin Only, Signal	Max RPM	1300	WM3470CW (White)	195174048375
		Axis	Horizontal		
		MATERIALS AND FINISHES			
		NeveRust® Stainless Steel Drum	Yes		
		Cabinet	Painted Steel		
		Control Panel	Plastic		
		Top Plate	Painted Steel		
		Door / Rim	Glass/White Rim (W) / Glass/Silver Rim (M)		
		Door Cover	Clear Round Cover		
		All Available Colors	Middle Black (M), White (W)		

DLE3470W / DLG3471W

7.4 cu. ft. Front Load Dryer

- 7.4 cu. ft. Ultra Large Capacity
- Sensor Dry
- FlowSense® Duct Clogging & Lint Filter Indicators
- ENERGY STAR® Certified
- Closet Depth
- Aluminized Alloy Steel Drum
- LoDecibel® Quiet Operation
- Smart Diagnosis
- Wrinkle Care Option



AVAILABLE COLORS

WHITE



SUMMARY		FABRIC CARE FEATURES		POWER SOURCE	
Type	Front Load Dryer	Sensor Dry	Yes	Ratings	CSA Listed
Vent Type	Vented	Precise Temperature Control with Variable Heater	Yes	Electrical Requirements	Elec: 120/240V, 60Hz, 26A Gas: 120V, 60Hz, 11.5A
Dryer Type	Elec: DLE3470W Gas: DLG3471W	CONVENIENCE FEATURES		Type	Electric, Gas
Capacity	7.4 cu. ft.	3 Minute Installation Check	Yes	BTU Rating	Gas: 20,000
Matching Washer	WM3470CW	End of Cycle Signal	Yes	OPTIONS	
Sensor Dry	Yes	Reversible Door	Yes	LP Conversion Kit	383EEL3002D
Color	White (W)	FlowSense® Duct Clogging Indicator	Yes	Side Venting Kit	3911EZ9131X
APPEARANCE		Wrinkle Care Option	Yes	Drying Rack	3750EL1001D
Hard Buttons	Yes	Control Lock	Yes	Pedestal	WDP6W
Touch Buttons	Yes	Venting Option	Electric: 4 Way Venting / Gas: 3 Way Venting	Pedestal (WxHxD)	27" x 13 5/8" x 28" (43 7/8" D with door open)
Dial-A-Cycle®	Yes	4 Adjustable Legs	Yes	DIMENSIONS	
DRYER PROGRAMS		Remaining Time Display / Status Indicator(s)	Yes	Product (WxHxD)	27" x 39" x 30 1/8"
No. of Programs	8	ThinQ® TECHNOLOGY		Depth with Door Open	51 3/8"
Programs (Sensor Dry)	Normal, Heavy Duty, Bedding, Towels, Perm. Press, Delicates, Speed Dry (Manual Dry), Air Dry (Manual Dry)	Smart Diagnosis	Yes	Carton (WxHxD)	28 7/8" x 43 1/8" x 31 3/8"
No. of Options	7	ENERGY		Product Weight (lbs.)	Electric: 117.3 lbs. / Gas: 120.2 lbs.
Options	More Time, Less Time, Damp Dry Signal, Wrinkle Care, Control Lock, Energy Saver, Signal	ENERGY STAR® Certified	Yes	Carton Weight (lbs.)	Electric: 122.4 lbs. / Gas: 124.9 lbs.
Temperature Settings	High, Medium, Low	CEF	Electric: 3.94 / Gas: 3.49	LIMITED WARRANTY	
Drying Levels	Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry	MATERIALS AND FINISHES		Parts & Labor	1 Year
Manual Dry Times	60 min., 40 min., 20 min., More Time/Less Time	Aluminized Alloy Steel Drum	Yes	Drum	3 Years
		Drum Rear	Painted	UPC CODES	
		Cabinet	Painted Steel	DLE3470W (White)	195174048917
		Door	Round White Trim	DLG3471W (White)	195174049976
		All Available Colors	White (W)		