

QUOTE

CENWOOD APPLIANCE
4015 Armory Oaks Drive
Nashville, TN 37204
Phone: (615) 256-8686
Fax:

CENWOOD
A P P L I A N C E



Quo #: 486962

Route: APPL
Page: 1 of 2

Quote: 03/04/25
Sched:

Printed
Date: 03/04/25
Time: 11:25 AM

To: COB100
COBALT VENTURES, LLC
807 BRADFORD AVE
NASHVILLE TN 37204

Ship To:
3401 HOPKINS STREET
3401 HOPKINS STREET
NASHVILLE TN 37215

FOB: DLVD	Entd By: KFER	Via: OUR TRUCK	Contact: Phone: (615) 829-8974
Type: WHSE	In: 45 / Out: 45	Terms: NET DUE 10TH	Your Order:

Customer Instructions

Line #	Item Number	Description	Quantity	U/M	List / Discount	Net Extended
0000.50	Remark:	--- KITCHEN ---				
0001.00	-PRG486WDH	THERM 48" PRO HARM NAT GAS RANGE, 6 BURNS / GRID, SS	1.00	EA	11,209.00	11,209.00
0001.50	-GASCONA	GAS CONNECTOR (3 FT / 4 FT / 5 FT)	1.00	EA	15.00	15.00
0001.75	-INSTALL	INSTALL PRO RANGE	1.00	EA	300.00	300.00
0002.00	-VSL4486RC	TW 48" HOOD LINER, REMOTE, 660 CFM, SS	1.00	EA	1,005.00	1,005.00
0002.50	-INSTALL	INSTALL VENT HOOD	1.00	EA	200.00	200.00
0003.00	-T48IT100NP	THERM 48" B/I FRNC DOOR REF, INT DISP, PNL RDY	1.00	EA	13,774.00	13,774.00
0003.50	-INSTALL	INSTALL BUILT-IN REFRIGERATOR	1.00	EA	300.00	300.00
0004.00	-DWH640EPR	THERM EMERALD DISHWASHER, PNL RDY *PROMO*	2.00	EA	1,329.00	2,658.00
0005.00	-PAN	THERMADOR 1-2-FREE	2.00	EA	1,329.00-	2,658.00-
0005.50	-INSTALL	INSTALL DISHWASHER	2.00	EA	175.00	350.00
0006.00	Remark:	--- PANTRY ---				
0007.00	-UMCS5022RZ	WPU 2.2 CF CNTRTOP MICROWAVE, PRS SS	1.00	EA	299.00	299.00

QUOTE

CENWOOD APPLIANCE
4015 Armory Oaks Drive
Nashville, TN 37204
Phone: (615) 256-8686
Fax:

CENWOOD
A P P L I A N C E



Quo #: 486962

Route: APPL
Page: 2 of 2

Quote: 03/04/25
Sched:

Printed
Date: 03/04/25
Time: 11:25 AM

To: COB100
COBALT VENTURES, LLC
807 BRADFORD AVE
NASHVILLE TN 37204

Ship To:
3401 HOPKINS STREET
3401 HOPKINS STREET
NASHVILLE TN 37215

FOB: DLVD	Entd By: KFER	Via: OUR TRUCK	Contact: Phone: (615) 829-8974
Type: WHSE	In: 45 / Out: 45	Terms: NET DUE 10TH	Your Order:

Line #	Item Number	Description	Quantity	U/M	List / Discount	Net Extended
0008.00	-MTK2230PZ	WPU 30" MICROWAVE TRIM KIT, 2.2CUFT, FPR SS	1.00	EA	119.00	119.00
0008.50	-INSTALL	INSTALL MICROWAVE & TRIM KIT	1.00	EA	100.00	100.00
0009.00	-KRFC136RPS	KA 20CUFT CNTR DEP FRNC DOOR REF, SS	1.00	EA	2,297.00	2,297.00
0009.50	-INSTALL	INSTALL REFRIGERATOR	1.00	EA	100.00	100.00
0010.00	-BWB24C32AG	BRISAS 24" BEV COOL, UC, FRNCH DOOR SS/GLASS	1.00	EA	1,199.00	1,199.00
0010.50	-INSTALL	INSTALL UC REFRIGERATOR	1.00	EA	75.00	75.00
0011.00	Remark:	--- IN-LAW SUITE ---				
0012.00	-BBV24C01AG	ZEP 24" BRISAS BEV COOLER, GLASS DOOR, SS FRAME	1.00	EA	999.00	999.00
0012.50	-INSTALL	INSTALL UC REFRIGERATOR	1.00	EA	75.00	75.00
0013.00	Remark:	--- UPSTAIRS BONUS ---				
0014.00	-BBV24C01AG	ZEP 24" BRISAS BEV COOLER, GLASS DOOR, SS FRAME	1.00	EA	999.00	999.00
0015.00	-INSTALL	INSTALL UC REFRIGERATOR	1.00	EA	75.00	75.00
		=====				
		* QUOTE IS GOOD FOR 30 DAYS *				
		=====				

Merchandise...	33,490.00
Tax.....	2,859.84
Misc Charges...	0.00
Quote Total...	36,349.84

PRG486WDH

48-INCH GAS PRO HARMONY® RANGE WITH GRIDDLE

PROFESSIONAL COLLECTION, STANDARD-DEPTH, PORCELAIN COOKTOP SURFACE



FEATURES & BENEFITS

- ★ Exclusive Star® Burner delivers superior flame spread for more even heating with QuickClean Base® designed for easy cleaning
- ★ 2 ExtraLow® burners offer precision simmering, melting or keeping warm
- Non-stick griddle provides even heating across the entire cooking surface
- Powerful, 20,500 BTU bake and 17,500 BTU broil burners
- Convection Bake offers precise multi-level baking results

TECHNICAL DETAILS


Circuit Breaker	20 A
Volts	120 V, 60Hz
Energy Source	Gas
Plug Type USA	120V – 3 Prong
Power Cord Length	65" (1,651mm)
Gas Supply	3/4"

WARRANTY

Limited Warranty, Entire Appliance, Parts and Labor	2 Year
---	--------

SEE PAGE 2 FOR INCLUDED AND OPTIONAL ACCESSORIES

RANGETOP



Total number of cooktop Burners	6 + Griddle
1 – Power of Back Left Burner BTU	15,000 and XLO
2 – Power of Front Left Burner BTU	18,000 and XLO
3 – Power of Back Center Burner BTU	15,000
4 – Power of Front Center Burner BTU	18,000
5 – Power of Center 12" Electric Griddle	1,630 W (6-Pass)
6 – Power of Back Right Burner BTU	15,000
7 – Power of Front Right Burner BTU	18,000

OVEN

Oven Capacity Lg. / Sm.	4.6 / 2.5 cu. ft.
Cooking Modes, Lg. Oven	Bake, Convection Bake, Roast, Broil
Cooking Modes, Sm. Oven	Bake, Proof, Keep Warm, Roast, Broil
Sabbath Lg. / Sm.	Yes / Yes
Self-Clean Lg. / Sm.	No / No
Telescopic Rack(s) Lg. / Sm.	3 / 1
Interior Lights Lg. / Sm.	2 / 1
Bake Power Lg. / Sm.	20,500 BTU / 15,000 BTU
Broil Power Lg. / Sm.	17,500 BTU / 7,000 BTU Infrared
Home Connect® (Wi-Fi Enabled)	Yes, Large Oven Only
Lg. Cavity Interior Dimensions (HxWxD)	16 1/2" x 26" x 18 5/8"
Lg. Cavity Usable Dimensions (HxWxD)	11 1/4" x 22 3/8" x 16 3/4"
Sm. Cavity Interior Dimensions (HxWxD)	16 1/2" x 14 1/4" x 18 5/8"
Sm. Cavity Usable Dimensions (HxWxD)	11 7/8" x 10 7/8" x 16"

DIMENSIONS & WEIGHT

Overall Appliance Dimensions (HxWxD)	35 3/4" – 36 3/4" x 47 15/16" x 24 3/4"
Required Cutout Size (HxWxD)	35 3/4" – 36 3/4" x 48" x 24"
Net Weight	556 lbs.

PERFORMANCE · QUALITY · CUSTOMER SERVICE

QUIET OPERATION

- Large 3-speed blower operates at lower RPM reducing the sound level

ENDURING QUALITY

- Commercial grade stainless steel (#304 grade) and galvanized steel construction
- LED lights brighten cooking area
- CFM and sound tested by Energy Systems Laboratory at Texas A&M University

DISTINCTIVE LOW-PROFILE DESIGN

- Style complements ALL custom and manufactured wood hood designs
- Simplicity of design preferred by homeowners



EASE OF OPERATION


- Remote control included with purchase
- Optional automatic 5 minute shut off timer
- Electronic touch controls with blue LED lighting

SIMPLE INSTALLATION

- Installs easily in standard size or custom-built wood range hoods
- Wiring diagram label for simple electrical connection


EASY CLEANING

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning



290 CFM MODELS

OPTIONAL DUCTLESS CONVERSION KIT MODEL#: 5BL-39-400-DCK;
5BL-39-400-DCK1 (VSL4482RC ONLY)



390 CFM MODELS

OPTIONAL DUCTLESS CONVERSION KIT MODEL#: 5BL-39-400-DCK



T48IT100NP

48-INCH BUILT-IN FRENCH DOOR REFRIGERATOR, 4 DRAWER

FREEDOM® COLLECTION, PANEL-READY



Also Available In:
T48BT110NS – Pre-Assembled with Masterpiece® Handles
T48BT120NS – Pre-Assembled with Professional Handles

FEATURES & BENEFITS

- ThermaFresh® Pro drawers optimize temperature and humidity, preserving fresh foods longer than traditional drawers
- Intuitively customize settings with the redesigned full-color touchscreen control panel. Wi-Fi connectivity enables additional control settings with the Home Connect® app.
- ThermaFlex™ drawer can be utilized as an additional refrigerator or freezer space for maximum versatility
- Dual ice maker provides two sizes of ice, diamond ice and cocktail ice, perfect for entertaining
- See what's inside without opening the door with cameras located in the refrigerator compartment

STYLE

Door Style	Custom Panel
Handle Style	Custom Handle
Interior Finish	Stainless Steel

INNOVATION

Wi-Fi-Enabled for control with Home Connect® App	Yes
Remote Monitoring and Control	Yes
iService Remote	Yes
Remote System Upgrade	Yes
4 Drawer Design	Yes
Diamond Ice (Small) and Cocktail Ice (Large)	Yes
Camera in the appliance	4

PERFORMANCE

ThermaFresh® Pro	Yes
Dual Compressor	Yes
Dual Evaporators	Yes
Quick Ice	Yes
Automatic Defrosting	Yes

Modes

Eco, Sabbath, Shopping, Vacation, Demo, Quick Ice, SuperCool, SuperFreeze

Internal Water Dispenser	Yes
One Touch BottleFill	Yes
Water Filter (6 Months)	Yes
Air Fresh Filter	Yes
Ethylene Filter (6 Months)	2

CAPACITY AND STORAGE

Total Capacity (cu. ft.)	26.8 cu. ft.
Refrigerator Capacity (cu. ft.)	17.7 cu. ft.
Freezer Capacity (cu. ft.)	9.1 cu. ft.
Ice Maker Drawer Capacity (cu. ft.)	2.2 cu. ft.
ThermaFlex™ Convertible Drawer Capacity (cu. ft.)	2.2 cu. ft.
Full-Extension Freezer Storage Drawer	2
Full-Extension Icemaker Drawer	1
Full-Extension ThermaFlex™ Convertible Drawer	1

Convertible Drawer Modes

Freezer (0° F), Soft Freeze (10° F), Meat/Fish (30° F), Beverage (34° F), Deli and Cheese (34° F), Fridge (37° F), Pastry (39° F)

Full Extension Thermafresh® Pro Crisper Drawers	2
---	---

ThermaFresh® Crisper Drawer Modes (° F/Humidity)

Vegetables (32° F/High), Fruit (32° F/Low) Meat (30° F/Low), Fish (30° F/Low), Deli (34° F/Low), Cheese (35° F/Low), Beverages (34° F/Low), Mixed (32° F/Low), Charcuterie (35° F/Low)

Storage Shelves	4 Adjustable, 1 Fixed
Hanging Deli Drawer	1
Standard Door Bins	4 Adjustable
Gallon Door Bins	2 Adjustable

GENERAL FEATURES

Color Touch Screen Control Panel	Yes
Water Filter Replacement Indicator	Yes
Dual Ice Makers with Diamond Ice and Cocktail Ice	Yes
Ice Production (24 Hrs.), Diamond Ice (lbs.)	4.5 lbs.
Ice Production (24 Hrs.) Cocktail Ice (lbs.)	2.6 lbs.
Ice On/Off	Yes
Quick Ice	Yes
Ice Storage Capacity (lbs.)	11.7 lbs.
LED Interior and Drawer Lighting	Yes
Independent Cooling Systems	2

DWHD640EPR

EMERALD® 6-PROGRAM DISHWASHER

CUSTOM PANEL



Home Connect

Also Available:

DWHD640EFP – Flat Stainless Steel Panel with Professional Collection Handle

DWHD640EFM – Flat Stainless Steel Panel with Masterpiece® Collection Handle

FEATURES & BENEFITS

- Chef's Tool Drawer® (3rd Rack) is designed to make loading and unloading tools and hard to place items extraordinarily easier
- Sens-A-Wash® measures water cleanliness and adjusts wash cycle
- Three stage advanced filtration recirculates water for sparkling results
- 3-Level adjustable upper rack is customizable for all of your needs, designed to be raised for extra large items placed on the bottom rack, or lowered to fit taller wine glasses on the upper rack
- Extra Dry Option adds extra heat to the final rinse to enhance drying results
- Impressively Quiet — 48 dBA for peaceful kitchen experience
- Use the exclusive Home Connect® app to refine your cleanup routine with remote control and receive timely notifications that keep track of every dish tab so you never run out

GENERAL PROPERTIES

Number of Wash Cycles	6+2 Additional in Home Connect®
Number of Options	4+1 Additional in Home Connect®
Additional Wash Cycles and Options available in Home Connect®	Cycles: Machine Care, Rinse Options: Save Time
NSF®-Certified* Sanitize Option	Yes
dBA	48
Third Rack	Chef's Tool Drawer®
Rack Adjustability	Rackmatic 3-Stage
Tub Material	Stainless Steel
Control Type	Touch Control
Concealed Water Heating Element	Yes
Leak Protection System	24/7 AquaStop®
Water Softener	No
Five-Level Wash	Yes
Childlock	No
Home Connect® (Wi-Fi Enabled)	Yes

EFFICIENCY

Water Usage Per Cycle	3.2 g
Energy Efficiency Class	Tier 1
ENERGY STAR® Certified	Yes
Total Annual Energy Consumption	240 kWh
Total Annual Water Consumption	623.5 g

CAPACITY

Number of Place Settings	16
--------------------------	----

TECHNICAL DETAILS

Watts	1,440 W
Current	12 A
Volts	120 V
Frequency	60 Hz
Power Cord Length	67"
Power Cord Install Length from Corner of Unit when Facing the Door	Left - 45" Right - 56"
Minimum Water Pressure	14 (lb/sin)
Max. Temperature for Water Intake	140° F
Length Inlet Hose	N/A
Length Outlet Hose	90.5"

DIMENSIONS & WEIGHT

Overall Appliance Dimensions (HxWxD)	33 7/8" x 23 9/16" x 23 3/4"
Required Cutout Size (HxWxD)	33 7/8" Min. x 24" Min. x 24"
Adjustable Feet	Yes
Net Weight	85.1 lbs

*Certification to NSF/ANSI Standard 184 for residential dishwashers

DWHD640EPR

EMERALD® 6-PROGRAM DISHWASHER

CUSTOM PANEL



Home Connect

Also Available:

DWHD640EFP – Flat Stainless Steel Panel with Professional Collection Handle

DWHD640EFM – Flat Stainless Steel Panel with Masterpiece® Collection Handle

FEATURES & BENEFITS

- Chef's Tool Drawer® (3rd Rack) is designed to make loading and unloading tools and hard to place items extraordinarily easier
- Sens-A-Wash® measures water cleanliness and adjusts wash cycle
- Three stage advanced filtration recirculates water for sparkling results
- 3-Level adjustable upper rack is customizable for all of your needs, designed to be raised for extra large items placed on the bottom rack, or lowered to fit taller wine glasses on the upper rack
- Extra Dry Option adds extra heat to the final rinse to enhance drying results
- Impressively Quiet — 48 dBA for peaceful kitchen experience
- Use the exclusive Home Connect® app to refine your cleanup routine with remote control and receive timely notifications that keep track of every dish tab so you never run out

GENERAL PROPERTIES

Number of Wash Cycles	6+2 Additional in Home Connect®
Number of Options	4+1 Additional in Home Connect®
Additional Wash Cycles and Options available in Home Connect®	Cycles: Machine Care, Rinse Options: Save Time
NSF®-Certified* Sanitize Option	Yes
dBA	48
Third Rack	Chef's Tool Drawer®
Rack Adjustability	Rackmatic 3-Stage
Tub Material	Stainless Steel
Control Type	Touch Control
Concealed Water Heating Element	Yes
Leak Protection System	24/7 AquaStop®
Water Softener	No
Five-Level Wash	Yes
Childlock	No
Home Connect® (Wi-Fi Enabled)	Yes

EFFICIENCY

Water Usage Per Cycle	3.2 g
Energy Efficiency Class	Tier 1
ENERGY STAR® Certified	Yes
Total Annual Energy Consumption	240 kWh
Total Annual Water Consumption	623.5 g

CAPACITY

Number of Place Settings	16
--------------------------	----

TECHNICAL DETAILS

Watts	1,440 W
Current	12 A
Volts	120 V
Frequency	60 Hz
Power Cord Length	67"
Power Cord Install Length from Corner of Unit when Facing the Door	Left - 45" Right - 56"
Minimum Water Pressure	14 (lb/sin)
Max. Temperature for Water Intake	140° F
Length Inlet Hose	N/A
Length Outlet Hose	90.5"

DIMENSIONS & WEIGHT

Overall Appliance Dimensions (HxWxD)	33 7/8" x 23 9/16" x 23 3/4"
Required Cutout Size (HxWxD)	33 7/8" Min. x 24" Min. x 24"
Adjustable Feet	Yes
Net Weight	85.1 lbs

*Certification to NSF/ANSI Standard 184 for residential dishwashers

UMCS5022RZ



2.2 cu. ft. Sensor Cooking Microwave

<http://www.whirlpoolcorp.com>

Quoted with 30" Trim Kit



Key Features:

- Sensor Cooking
- 1200-Watt Cooking Power
- Microwave Presets
- Optional Built-In Trim Kit (Sold Separately)
- Electronic Touch Controls
- Add 30 Seconds Option
- Dishwasher-Safe Turntable Plate
- 2.2 Cu. Ft. Capacity
- Steam Clean
- Keep Warm
- Popcorn Preset
- 10 Power Levels

Product Dimensions:

Height: 14 3/16

Width: 24 3/4

Depth: 19 1/4

Electrical Requirements:

15. 120V.

Additional Information:

[Owners Manual](#)

[Dimension Guide](#)

[Installation Guide](#)

[Warranty Certificate](#)

ADA
Compliant

®Registered trademark/TM Trademark of Whirlpool, U.S.A. © 2024 Whirlpool Corporation. All Rights Reserved. All other trademarks are owned by their respective companies.

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. We also reserve the right to discontinue or transition products without notice.

Manufacturer's Suggested Retail Price (MSRP) and Minimum Advertised Price (MAP) provided for reference purposes only. Dealer alone determines advertised and retail prices.

Created On: Tuesday, March 04, 2025 14:39:52

KRFC136RPS

KitchenAid®

20 cu. ft. 36-Inch Width Counter-Depth French Door Refrigerator with Interior Dispense

<http://www.kitchenaid.com>



Key Features:

- Wood-Look Nesting Shelf
- Full-Width Pantry Drawer
- Counter-Depth Design
- Interior Water Dispenser
- Max Cool
- Ultra-Bright LED Lighting
- ExtendFresh™ Temperature Management System
- Spill-Resistant Framed Shelves
- Adjustable Door Bins
- Crisper Bins
- Up-Front Temperature Controls
- Energy Star® Certified

Product Dimensions:

Height: 70 1/8

Width: 35 3/4

Depth: 29 3/8

Electrical Requirements:

15. 120V.

Additional Information:

[Owners Manual](#)

[Dimension Guide](#)

[Energy Guide](#)

[Warranty Certificate](#)

INVESTED
IN
AMERICA

®Registered trademark/TM Trademark of Whirlpool, U.S.A. © 2024 Whirlpool Corporation. All Rights Reserved. All other trademarks are owned by their respective companies. Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. We also reserve the right to discontinue or transition products without notice. Manufacturer's Suggested Retail Price (MSRP) and Minimum Advertised Price (MAP) provided for reference purposes only. Dealer alone determines advertised and retail prices.
Created On: Tuesday, March 04, 2025 14:44:50

BRISAS FRENCH DOOR WINE & BEVERAGE COOLER

brisas
BY ZEPHYR
BRISASBYZEPHYR.COM



Transparent-Gray Glass Shelves



PreciseTemp™

TOP FEATURES

38°

PreciseTemp™

Multiple internal sensors help maintain accurate temperatures



Vibration Dampening System

Noise and vibration is reduced to minimize wine disturbance



Active Cooling Technology

An on-board computer controls active cooling fans to provide temperature stability and even cooling



Dual Evaporators

Ensures accurate cooling in each zone

BRISAS SINGLE ZONE BEVERAGE COOLER

brisas
BY ZEPHYR
BRISASBYZEPHYR.COM



Transparent-Gray Glass Shelves



PreciseTemp™

TOP FEATURES

38°

PreciseTemp™
Multiple internal sensors help maintain accurate temperatures



Vibration Dampening System
Noise and vibration is reduced to minimize wine disturbance



Active Cooling Technology
An on-board computer controls active cooling fans to provide temperature stability and even cooling



Field-Reversible Door
Comes standard with field-reversible door brackets included

BRISAS SINGLE ZONE BEVERAGE COOLER

brisas
BY ZEPHYR
BRISASBYZEPHYR.COM



Transparent-Gray Glass Shelves



PreciseTemp™

TOP FEATURES

38°

PreciseTemp™

Multiple internal sensors help maintain accurate temperatures



Vibration Dampening System

Noise and vibration is reduced to minimize wine disturbance



Active Cooling Technology

An on-board computer controls active cooling fans to provide temperature stability and even cooling



Field-Reversible Door

Comes standard with field-reversible door brackets included